EXHIBIT A

EMERGENCY VEHICLE ACCESS EASEMENT, CENTER LINE NO. 1

A 23 FOOT WIDE EMERGENCY VEHICLE ACCESS EASEMENT OVER AND ACROSS A PORTION OF LOT 4, BLOCK 2, SPRINGHILL INDUSTRIAL PARK SUBDIVISION FILING NO. 1 AS RECORDED UNDER RECEPTION NO. 2000643, SITUATED IN THE SOUTHWEST QUARTER OF SECTION 4, TOWNSHIP 4 SOUTH, RANGE 66 WEST OF THE 6TH P.M., CITY OF AURORA, COUNTY OF ARAPAHOE, STATE OF COLORADO, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHEAST CORNER OF SAID SOUTHWEST QUARTER OF SECTION 4;

THENCE N34"17"34"W A DISTANCE OF 1412.39 FEET TO THE SOUTHEAST CORNER OF SAID LOT 4;

THENCE N90°00'00"W ALONG THE SOUTH LINE OF SAID LOT 4, A DISTANCE OF 109.367 FEET TO THE POINT OF BEGINNING;

THENCE N90°00'00"W CONTINUING ALONG SAID SOUTH LINE, A DISTANCE OF 23.00 FEET;

THENCE NO0°00'00"W A DISTANCE OF 170.00 FEET TO A POINT OF CURVATURE; THENCE 45.55 FEET ALONG THE ARC OF A CURVE TO THE LEFT, HAVING A RADIUS OF 29.00 FEET, A CENTRAL ANGLE OF 90°00'00", SUBTENDING A CHORD BEARING OF N45°00'00"W, A CHORD DISTANCE OF 41.01 FEET;

THENCE N90°00'00"W A DISTANCE OF 19.50 FEET:

THENCE NO0°00'00"W A DISTANCE OF 23.00 FEET:

THENCE N90°00'00"E A DISTANCE OF 120.00 FEET;

THENCE S00°00'00"W A DISTANCE OF 23.00 FEET:

THENCE N90°00'00"W A DISTANCE OF 28.50 FEET TO A POINT OF CURVATURE; THENCE 31.42 FEET ALONG THE ARC OF A CURVE TO THE LEFT, HAVING A RADIUS OF 20.00 FEET, A CENTRAL ANGLE OF 90°00'00", SUBTENDING A CHORD BEARING OF S45°00'00"W, A CHORD DISTANCE OF 28.28 FEET; THENCE S00°00'00"W A DISTANCE OF 179.00 FEET TO THE POINT OF BEGINNING CONTAINING 7603 SQUARE FEET OR 0.1745 ACRES MORE OR LESS.

EXHIBIT A PAGE 2 OF 3

BEARINGS ARE BASED UPON THE EAST LINE OF SAID SOUTHWEST QUARTER OF SECTION 4 AS SHOWN ON THE RECORDED PLAT OF SPRINGHILL INDUSTRIAL PARK SUBDIVISION FILING No. 1, WHICH BEARS NOO'00'00"W AND IS MONUMENTED AS SHOWN ON THE ATTACHED EXHIBIT A

ALL LINEAL DISTANCE UNITS ARE REPRESENTED IN U.S. SURVEY FEET

DESCRIPTION AND EXHIBIT PREPARED BY

DATE: 6/25/19

ELIMINARY A PONSERELLA, RLS No. 29766

FOR AND ON BEHALF OF COTTONWOOD SURVEYING

AND ASSOCIATES, INC.

P.O. BOX 694, STRASBURG, CO 80136

LINE TABLE

LINE	BEARING	DISTANCE
L1	N90°00'00"W	109.37
L2	N90°00'00"W	23.00'
L3	N00°00'00"W	170.00'
L4	N90°00'00"W	19.50'
L5	N00°00'00"W	23.00'
L6	N90°00'00"E	120.00'
L7	S00°00'00"W	23.00'
L8	N90°00'00"W	28.50'
L9	S00°00'00"W	179.00'

CURVE TABLE

CURVE	ARC LENGTH	RADIUS	DELTA ANGLE	CHORD BEARING	CHORD LENGTH
C1	45.55'	29.00'	90°00'00"	N45°00'00"W	41.01'
C2	31.42'	20.00'	90 ° 00'00"	S45°00'00"W	28.28'

